Subject Index Volume 2

Acromegaly
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Adenoma
Cytogenesis of nonfunctioning pituitary adenomas (Kovacs et al), 177 (Editorial)
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Folliculostellate cells in pituitary adenomas: studies of hormonal profile and tumor vascularity (McNicol), 193
Human pituitary adenomas do not overexpress the c-*erb*B-2 oncoprotein (Wetherall et al), 210
Hyalinizing trabecular adenoma: a misnomer for a peculiar tumor of the thyroid gland (Sambade et al), 83
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Silent mixed growth hormone cell–prolactin cell pituitary adenoma (Furuhata et al), 230 (Case report)
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Adipose tissue
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Adrenal cortex
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40
Adrenal gland neoplasms
Adrenal and retroperitoneal mixed neuroendocrine-neural tumors (Kimura et al), 139
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Adrenal glands
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40
Adrenal medulla
Functioning and nonfunctioning adrenal medullary tumors (Kimura), 64 (Review)
Adrenocorticotropic hormone
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Further immunohistochemical study of Crooke's hyaline change (Uei et al), 215
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Adrenocorticotropic hormone *(continued)*
Immunohistochemical study of Crooke's hyaline change (Uei et al), 12
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Aminoglutethimide
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220
Amyloid
Electron-microscopical immunocytochemical study of a pancreatic islet amyloid polypeptidoma (Lukinius et al), 169 (Case report)
Antibodies, monoclonal
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132

Binding proteins. *See* **Carrier proteins**
Bombesin
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)

c-*erb*B-2 oncoprotein. *See* **Oncogene products**
Calcitonin
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Carcinoma
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Intermediate thyroid carcinoma in humans and ultimobranchial tumors in bulls: a comparative morphological and immunohistochemical study (Ljungberg and Nilsson), 24
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Carrier proteins
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132
Chromogranins
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148

Subject Index Volume 2

Acromegaly
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Adenoma
Cytogenesis of nonfunctioning pituitary adenomas (Kovacs et al), 177 (Editorial)
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Folliculostellate cells in pituitary adenomas: studies of hormonal profile and tumor vascularity (McNicol), 193
Human pituitary adenomas do not overexpress the c-*erb*B-2 oncoprotein (Wetherall et al), 210
Hyalinizing trabecular adenoma: a misnomer for a peculiar tumor of the thyroid gland (Sambade et al), 83
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Silent mixed growth hormone cell–prolactin cell pituitary adenoma (Furuhata et al), 230 (Case report)
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Adipose tissue
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Adrenal cortex
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40
Adrenal gland neoplasms
Adrenal and retroperitoneal mixed neuroendocrine-neural tumors (Kimura et al), 139
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Adrenal glands
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40
Adrenal medulla
Functioning and nonfunctioning adrenal medullary tumors (Kimura), 64 (Review)
Adrenocorticotropic hormone
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Further immunohistochemical study of Crooke's hyaline change (Uei et al), 215
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Adrenocorticotropic hormone *(continued)*
Immunohistochemical study of Crooke's hyaline change (Uei et al), 12
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Aminoglutethimide
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220
Amyloid
Electron-microscopical immunocytochemical study of a pancreatic islet amyloid polypeptidoma (Lukinius et al), 169 (Case report)
Antibodies, monoclonal
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132

Binding proteins. *See* **Carrier proteins**
Bombesin
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)

c-*erb*B-2 oncoprotein. *See* **Oncogene products**
Calcitonin
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Carcinoma
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Intermediate thyroid carcinoma in humans and ultimobranchial tumors in bulls: a comparative morphological and immunohistochemical study (Ljungberg and Nilsson), 24
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Carrier proteins
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132
Chromogranins
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148

Clone cells
Clonality of endocrine tumors (Herman and Melmed), 61 (Editorial)
Conn's disease. *See* **Hyperaldosteronism**
Corticotropin-releasing hormone
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Cortisol. *See* **Hydrocortisone**
Crooke's hyaline change
Further immunohistochemical study of Crooke's hyaline change (Uei et al), 215
Immunohistochemical study of Crooke's hyaline change (Uei et al), 12
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Cushing's syndrome
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40
Cytogenetics
Cytogenesis of nonfunctioning pituitary adenomas (Kovacs et al), 177 (Editorial)
Cytokeratin. *See* **Keratin**

D cells
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
Diazepam
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
DNA
In situ hybridization in endocrine pathology (Lloyd), 1 (Editorial)
Duodenal neoplasms
Histopathology, hormone products, and clinicopathological profile of endocrine tumors of the upper small intestine: a study of 44 cases (Capella et al), 92

Electron microscopy. *See* **Microscopy, electron**
Endocrine neoplasms. *See* **Neoplasms; Specific Neoplasms**
Endometrium
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132
Estradiol
Regulation of estrogen receptor mRNA in normal and neoplastic rat pituitary tissues (Lloyd et al), 74
Estrogen receptors. *See* **Receptors, estrogen**

Female reproductive tissue. *See* **Endometrium**
Folliculostellate cells
Folliculostellate cells in pituitary adenomas: studies of hormonal profile and tumor vascularity (McNicol), 193
Folliculostellate cells of the pituitary (Marin et al), 180 (Review)
Immunohistochemical study of folliculostellate cells in pituitary lesions (Nishioka et al), 155

Ganglioneuroma
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Gastrointestinal system
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
Gene expression
In situ hybridization in endocrine pathology (Lloyd), 1 (Editorial)
Parathyroid hormone–like peptide (Drucker), 4 (Review)
Growth hormones
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Silent mixed growth hormone cell–prolactin cell pituitary adenoma (Furuhata et al), 230 (Case report)

Heterotransplantation. *See* **Transplantation, heterotopic**
Hormones
Folliculostellate cells in pituitary adenomas: studies of hormonal profile and tumor vascularity (McNicol), 193
Histopathology, hormone products, and clinicopathological profile of endocrine tumors of the upper small intestine: a study of 44 cases (Capella et al), 92
Hyalinizing trabecular adenoma. *See* **Adenoma**
Hybridization
In situ hybridization in endocrine pathology (Lloyd), 1 (Editorial)
Hydrocortisone
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Hyperaldosteronism
Ultrastructural morphometry of different adrenal adenoma types (Saeger et al), 49
Hypercalcemia
Parathyroid hormone–like peptide (Drucker), 4 (Review)
Hyperplasia
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Ultrastructural morphometry of normal adrenal cortex and of hyperplastic adrenals in Cushing's disease (Saeger et al), 40

^{125}I-CRH. *See* **Corticotropin-releasing hormone**
Insulin-like growth factor 1
Immunohistochemical localization of the insulinlike growth factor binding protein-1 in female reproductive tisseus by monoclonal antibodies (Rutanen et al), 132
Intestine, small
Histopathology, hormone products, and clinicopathological profile of endocrine tumors of the upper small intestine: a study of 44 cases (Capella et al), 92
Islets of Langerhans
Electron-microscopical immunocytochemical study of a pancreatic islet amyloid polypeptidoma (Lukinius et al), 169 (Case report)
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
Isotope labeling
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200

Jejunal neoplasms
Histopathology, hormone products, and clinicopathological profile of endocrine tumors of the upper small intestine: a study of 44 cases (Capella et al), 92

Keratin
Further immunohistochemical study of Crooke's hyaline change (Uei et al), 215
Immunohistochemical study of Crooke's hyaline change (Uei et al), 12

Messenger RNA. *See* **RNA, messenger**
Methylprednisolone
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220
Metyrapone
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220
Microscopy, electron
Electron-microscopical immunocytochemical study of a pancreatic islet amyloid polypeptidoma (Lukinius et al), 169 (Case report)
Mixed neuroendocrine-neural tumor. *See* **Neuroblastoma; Pheochromocytoma**
mRNA. *See* **RNA, messenger**

Neoplasms
Clonality of endocrine tumors (Herman and Melmed), 61 (Editorial)
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Histopathology, hormone products, and clinicopathological profile of endocrine tumors of the upper small intestine: a study of 44 cases (Capella et al), 92
Neuroblastoma
Adrenal and retroperitoneal mixed neuroendocrine-neural tumors (Kimura et al), 139
Neuroblastoma *(continued)*
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Functioning and nonfunctioning adrenal medullary tumors (Kimura), 64 (Review)
Neuroendocrine neoplasms. *See* **Neoplasms; Specific Neoplasms**

Octreotide
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123
Oncogene products
Human pituitary adenomas do not overexpress the c-*erb*B-2 oncoprotein (Wetherall et al), 210
Oncogenes
Oncogenes and thryoid tumors: scratching the surface (Low), 120 (Editorial)
Oncoproteins. *See* **Oncogene products**

Pancreatic islet cells. *See* **Islets of Langerhans**
Paraffin
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Parathyroid hormones
Parathyroid hormone–like peptide (Drucker), 4 (Review)
Peptides
Parathyroid hormone–like peptide (Drucker), 4 (Review)
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
Pheochromocytoma
Adrenal and retroperitoneal mixed neuroendocrine-neural tumors (Kimura et al), 139
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Functioning and nonfunctioning adrenal medullary tumors (Kimura), 64 (Review)
Pituitary gland
Folliculostellate cells of the pituitary (Marin et al), 180 (Review)
Further immunohistochemical study of Crooke's hyaline change (Uei et al), 215
Immunohistochemical study of Crooke's hyaline change (Uei et al), 12
Regulation of estrogen receptor mRNA in normal and neoplastic rat pituitary tissues (Lloyd et al), 74
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220
Pituitary neoplasms
Cytogenesis of nonfunctioning pituitary adenomas (Kovacs et al), 177 (Editorial)
Effect of treatment with octreotide on the morphology of growth hormone–secreting pituitary adenomas: study of 24 cases (Beckers et al), 123

Pituitary neoplasms *(continued)*
Folliculostellate cells in pituitary adenomas: studies of hormonal profile and tumor vascularity (McNicol), 193
Human pituitary adenomas do not overexpress the c-*erb*B-2 oncoprotein (Wetherall et al), 210
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Immunohistochemical study of folliculostellate cells in pituitary lesions (Nishioka et al), 155
Pituitary corticotroph adenoma with Crooke's hyalinization (Franscella et al), 111 (Case report)
Regulation of estrogen receptor mRNA in normal and neoplastic rat pituitary tissues (Lloyd et al), 74
Silent mixed growth hormone cell–prolactin cell pituitary adenoma (Furuhata et al), 230 (Case report)
Polypeptidoma
Electron-microscopical immunocytochemical study of a pancreatic islet amyloid polypeptidoma (Lukinius et al), 169 (Case report)
Prolactin
Silent mixed growth hormone cell–prolactin cell pituitary adenoma (Furuhata et al), 230 (Case report)
Proteins
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Proto-oncogenes
Human pituitary adenomas do not overexpress the c-*erb*B-2 oncoprotein (Wetherall et al), 210

Receptors, estrogen
Regulation of estrogen receptor mRNA in normal and neoplastic rat pituitary tissues (Lloyd et al), 74
Reproductive tissue, female. *See* **Endometrium**
Retroperitoneal neoplasms
Adrenal and retroperitoneal mixed neuroendocrine-neural tumors (Kimura et al), 139
RNA
In situ hybridization in endocrine pathology (Lloyd), 1 (Editorial)
RNA, messenger
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148
Regulation of estrogen receptor mRNA in normal and neoplastic rat pituitary tissues (Lloyd et al), 74

Somatostatin
Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells (Höög et al), 161
Stimulation/suppression, drug
Ultrastructural morphometry of the rat pituitary intermediate zone after stimulation and suppression (Saeger et al), 220

Thyroid gland
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Thyroid neoplasms
Discordant secretion of calcitonin and chromogranin in the human medullary thyroid carcinoma cell line (Kameya et al), 16
Elevated adrenocorticotropic hormone and cortisol levels in a patient with medullary carcinoma of the thyroid containing ectopic immunoreactive corticotropin-releasing hormone and bombesin (Popovic et al), 57 (Case report)
Hyalinizing trabecular adenoma: a misnomer for a peculiar tumor of the thyroid gland (Sambade et al), 83
Intermediate thyroid carcinoma in humans and ultimobranchial tumors in bulls: a comparative morphological and immunohistochemical study (Ljungberg and Nilsson), 24
Localized adiposity of the thyroid, clinically mimicking an adenoma (Morizumi et al), 226 (Case report)
Oncogenes and thryoid tumors: scratching the surface (Low), 120 (Editorial)
Thyroid oncology: the end of the dogmas (Sobrinho-Simões), 117 (Editorial)
Transplantation, heterotopic
In vivo labeling with ^{125}I-CRH of human ACTH-producing pituitary adenomas heterotransplanted to nude mice (Knappe et al), 200
Tumors. *See* **Neoplasms; Specific Neoplasms**
Tyrosine hydroxylase
Expression of chromogranin A protein and messenger RNA and tyrosine hydroxylase protein in paraffin-embedded sections of neuroendocrine neoplasms (Grossman et al), 148

Ultimobranchial body
Intermediate thyroid carcinoma in humans and ultimobranchial tumors in bulls: a comparative morphological and immunohistochemical study (Ljungberg and Nilsson), 24

Author Index Volume 2

Abe Y, 16
Abs R, 123
Asa SL, 111, 177
Asada H, 230

Beckers A, 123
Berney J, 111
Besser GM, 57
Braunstein GD, 132

Cameselle-Teijeiro J, 83
Capella C, 92
Carnevali L, 92
Caselitz J, 40, 49, 220
Chiaravalli A, 92
Corbett IP, 210

Daniels M, 210
Doniach I, 57

Drucker DJ, 4

Efendic S, 161
Eriksson B, 169

Falkmer S, 161
Favrod-Coune C-A, 111
Fields K, 74
Franscella S, 111
Franssila K, 83
Furuhata S, 230

Gaillard R, 111
Gehrke H, 40
Gonzalez E, 132
Grimelius L, 161
Grossman DM, 148

Harris PE, 210
Heidelberger KP, 148
Herman V, 61
Herrmann HD, 200
Hirano A, 155
Höög A, 161
Horvath E, 123, 177

Iguchi H, 16
Ince P, 210

James RA, 210
Jin L, 74, 148
John K-D, 220

Kadoya K, 16
Kameya T, 16, 230
Kanzaki M, 12, 215
Kendall-Taylor P, 210
Kendereski A, 57
Kimura N, 64, 139
Knappe UJ, 200
Kovacs K, 123, 177, 180
Kulig E, 74

Ljungberg O, 24
Llena JF, 155
Lloyd RV, 1, 74, 148
Low MJ, 120
Lüdecke DK, 200
Lukinius A, 169

Manojlovic D, 57
Marin F, 180
McNicol AM, 193
Melmed S, 61
Micic D, 57
Micic J, 57
Milosevic Z, 57
Miura K, 139
Miura Y, 139
Morimoto S, 226
Morizumi H, 226

Nagatsu I, 139
Nagura H, 139
Nesland J, 83
Nesovic M, 57
Nilsson PO, 24
Nishioka H, 155

Öberg K, 169
Odavic M, 57
Ohta T, 12
Osamura RY, 139
Östensson C-G, 161
Otani M, 230

Petakov M, 57
Philippe J, 111
Pizzolato G, 111
Popovic V, 57
Puchner MJA, 200

Reznik M, 123
Rindi G, 92
Riva C, 92
Rutanen E-M, 132

Saager G, 49
Saeger W, 40, 49, 200, 220
Said J, 132
Sambade C, 83
Sandberg E, 161
Sano T, 226
Schubert B, 40, 49
Sessa F, 92
Shimamoto Y, 230
Shimaoka K, 16
Sobrinho-Simões M, 83, 117
Solcia E, 92
Stefaneanu L, 180
Stevenaert A, 123
Stridsberg M, 169
Sumarac M, 57

Takahashi N, 139
Toya S, 230
Tsuyuguchi M, 226

Uei Y, 12, 215
Usellini L, 92

Wetherall MRB, 210
Wilander E, 169

Yabana T, 215
Yoshinari T, 226